

Số: 25 /QTSC-TTCNS

Thành phố Hồ Chí Minh, ngày 17 tháng 05 năm 2025

THÔNG BÁO CHÀO GIÁ

Kính gửi: Quý Công ty

Công ty TNHH một thành viên Phát triển Công viên phần mềm Quang Trung (QTSC) có nhu cầu thực hiện gói mua sắm hàng hóa, dịch vụ với các yêu cầu sau đây:

I. KHÁI QUÁT HẠNG MỤC MUA SẮM

- Tên hạng mục mua sắm: Mua sắm các thiết bị công nghệ thông tin Cisco.
- Thời gian thực hiện: Trong vòng 6-8 tuần kể từ ngày ký hợp đồng
- Địa điểm thực hiện:
 - + Đối với thiết bị phần cứng: Lô E2a-3, Đường D1, Khu Công nghệ cao, Phường Long Thạnh Mỹ, Tp Thủ Đức, Thành phố Hồ Chí Minh.
 - + Đối với license/ dịch vụ bảo hành : Toà nhà QTSC TELECOM CENTER, đường số 4, Khu CVPM Quang Trung, phường Tân Chánh Hiệp, Quận 12, TPHCM.
- + Key License gửi sang email: tienqui@qtsc.com.vn

II. TƯ CÁCH HỢP LỆ CỦA NHÀ CUNG CẤP

Nhà cung cấp tham gia hạng mục mua sắm có tư cách hợp lệ khi đáp ứng đủ các điều kiện sau đây:

❖ Nhà cung cấp là tổ chức:

- Nhà cung cấp trong nước: có đăng ký thành lập, hoạt động theo quy định của pháp luật Việt Nam. Đối với nhà cung cấp nước ngoài: có đăng ký thành lập hoạt động theo pháp luật nước ngoài;
- Không đang trong quá trình thực hiện thủ tục giải thể hoặc chấm dứt hoạt động; không bị thu hồi giấy chứng nhận đăng ký kinh doanh hoặc giấy chứng nhận đăng ký hộ kinh doanh; không thuộc trường hợp mất khả năng thanh toán theo quy định của pháp luật về phá sản;
- Không đang bị truy cứu trách nhiệm hình sự;
- Không đang trong thời gian bị cấm tham dự thầu theo quy định của Luật đấu thầu.

III. YÊU CẦU CỦA HẠNG MỤC MUA SẮM

1. Yêu cầu cung cấp hàng hóa/dịch vụ

STT	Mã hàng	Mô tả	Số lượng	Ghi chú
<u>Các thiết bị công nghệ thông tin Cisco:</u>				
1	C8200-1N-4T	Cisco Catalyst C8200-1N-4T Router	2	
	CON-L14HR-C82001N4	CX LEVEL 1 24X7X4 Cisco Catalyst C8200	2	
	MEM-C8200-8GB	Cisco Catalyst 8200 Edge 8GB memory	2	
	M2USB-16G	Cisco Catalyst 8000 Edge M.2 USB 16GB	2	
	C-RFID-1R	RFID - 1RU for Cisco 8200/8300/8500L Series	2	
	C8200-RM-19-1R	Cisco Catalyst 8200 Rack mount kit - 19" 1R	2	
	NETWORK-PNP-LIC	Network Plug-n-Play Connect for zero-touch device deployment	2	
	C8200-NIM-BLANK	Cisco Catalyst 8200 Edge NIM Blank	2	
	C8200-PIM-BLANK	Cisco Catalyst 8200 Edge PIM Blank	2	
	TE-R-SW	TE agent for IOSXE on Enterprise Routing	2	
	SC8KBENEK9-179	UNIVERSAL - NO PAYLOAD ENCRYPTION	2	
	IOSXE-AUTO-MODE	IOS XE Autonomous or SD-Routing mode for Unified image	2	
	PWR-CC1-150WAC	Cisco C8200 1RU AC 150W PoE Power supply	2	
	CAB-C13-C14-2M	Power Cord Jumper, C13-C14 Connectors, 2 Meter Length	4	
	DNA-P-T0-E-3Y	Cisco DNA Essentials On-Prem Lic 3Y - upto 25M (Aggr, 50M)	2	
	SVS-PSTL1-T0-E3Y	Success Track L1 - DNA Essentials OnPrem Lic, T0, 3Y	2	
	DSTACK-T0-E	Cisco DNA Essentials Stack - upto 25M (Aggr, 50M)	2	
	NWSTACK-T0-E	Cisco Network Essentials Stack - upto 25M (Aggr, 50M)	2	
	SDWAN-UMB-ESS	Cisco Umbrella for DNA Essentials	2	
	DNAC-ONPREM-PF	Cisco DNA Center On Prem Deployment Option for WAN	2	
	C82-1N-4T-PF	C8200-1N-4T Platform Selection for DNA Subscription	2	
	IOSXE-AUTO-MODE-PF	IOS XE Autonomous or SD-Routing mode for Unified image	2	

2	N9K-C93180YC-FX3	Nexus 9300 48p 1/10/25G, 6p 40/100G, MACsec, SyncE	2	
	CON-L14HR-N9KC93X3	CX LEVEL 1 24X7X4 Nexus 9300 48p 1/10/25G, 6p 40/100G, MACse	2	
	NXK-AF-PI	Dummy PID for Airflow Selection Port-side Intake	2	
	MODE-NXOS	Mode selection between ACI and NXOS	2	
	NXOS-CS-10.4.3F	Nexus 9300, 9500, 9800 NX-OS SW 10.4.3 (64bit) Cisco Silicon	2	
	NXK-ACC-KIT-1RU	Nexus 3K/9K Fixed Accessory Kit, 1RU front and rear removal	2	
	NXA-FAN-35CFM-PI	Nexus Fan, 35CFM, port side intake airflow	8	
	NXK-MEM-16GB	Additional memory of 16GB for Nexus Switches	2	
	NXA-PAC-650W-PI	Nexus NEBs AC 650W PSU - Port Side Intake	4	
	CAB-C13-C14-2M	Power Cord Jumper, C13-C14 Connectors, 2 Meter Length	4	
	NXOS-SLP-INFO-9K	Info PID for Smart Licensing using Policy for N9K	2	
	DCN-OTHER	Select if this product will NOT be used for AI Applications	2	
	C1E1TN9300XF-3Y	Data Center Networking Essentials Term N9300 XF, 3Y	2	
	SVS-L1N9KE-XF-3Y	CX L1 Support:DCN Essentials Term N9300 XF, 3Y	2	
3	C1300-24T-4X	Catalyst 1300 24-port GE, 4x10G SFP+	2	
	CON-SNT-C1300T24	SNTC-8X5XNBD Catalyst 1300 24-port GE, 4x10G SFP	2	
	CAB-ACU	AC Power Cord (UK), C13, BS 1363, 2.5m	2	
4	C1300-24T-4X	Catalyst 1300 24-port GE, 4x10G SFP+	2	
	CON-SNT-C1300T24	SNTC-8X5XNBD Catalyst 1300 24-port GE, 4x10G SFP	2	
	CAB-ACU	AC Power Cord (UK), C13, BS 1363, 2.5m	2	
5	C8200-1N-4T	Cisco Catalyst C8200-1N-4T Router	2	
	CON-L14HR-C82001N4	CX LEVEL 1 24X7X4 Cisco Catalyst C8200	2	

	MEM-C8200-8GB	Cisco Catalyst 8200 Edge 8GB memory	2	
	M2USB-16G	Cisco Catalyst 8000 Edge M.2 USB 16GB	2	
	C-RFID-1R	RFID - 1RU for Cisco 8200/8300/8500L Series	2	
	C8200-RM-19-1R	Cisco Catalyst 8200 Rack mount kit - 19" 1R	2	
	NETWORK-PNP-LIC	Network Plug-n-Play Connect for zero-touch device deployment	2	
	C8200-NIM-BLANK	Cisco Catalyst 8200 Edge NIM Blank	2	
	C8200-PIM-BLANK	Cisco Catalyst 8200 Edge PIM Blank	2	
	TE-R-SW	TE agent for IOSXE on Enterprise Routing	2	
	SC8KBENEK9-179	UNIVERSAL - NO PAYLOAD ENCRYPTION	2	
	IOSXE-AUTO-MODE	IOS XE Autonomous or SD-Routing mode for Unified image	2	
	PWR-CC1-150WAC	Cisco C8200 1RU AC 150W PoE Power supply	2	
	CAB-C13-C14-2M	Power Cord Jumper, C13-C14 Connectors, 2 Meter Length	4	
	DNA-P-T0-E-3Y	Cisco DNA Essentials On-Prem Lic 3Y - upto 25M (Aggr, 50M)	2	
	SVS-PSTL1-T0-E3Y	Success Track L1 - DNA Essentials OnPrem Lic, T0, 3Y	2	
	DSTACK-T0-E	Cisco DNA Essentials Stack - upto 25M (Aggr, 50M)	2	
	NWSTACK-T0-E	Cisco Network Essentials Stack - upto 25M (Aggr, 50M)	2	
	SDWAN-UMB-ESS	Cisco Umbrella for DNA Essentials	2	
	DNAC-ONPREM-PF	Cisco DNA Center On Prem Deployment Option for WAN	2	
	C82-1N-4T-PF	C8200-1N-4T Platform Selection for DNA Subscription	2	
	IOSXE-AUTO-MODE-PF	IOS XE Autonomous or SD-Routing mode for Unified image	2	
6	C1300-24T-4X	Catalyst 1300 24-port GE, 4x10G SFP+	2	
	CON-SNT-C1300T24	SNTC-8X5XNBD Catalyst 1300 24-port GE, 4x10G SFP	2	
	CAB-ACU	AC Power Cord (UK), C13, BS 1363, 2.5m	2	

7	C8200-1N-4T	Cisco Catalyst C8200-1N-4T Router	2	
	CON-L14HR-C82001N4	CX LEVEL 1 24X7X4 Cisco Catalyst C8200	2	
	MEM-C8200-8GB	Cisco Catalyst 8200 Edge 8GB memory	2	
	M2USB-16G	Cisco Catalyst 8000 Edge M.2 USB 16GB	2	
	C-RFID-1R	RFID - 1RU for Cisco 8200/8300/8500L Series	2	
	C8200-RM-19-1R	Cisco Catalyst 8200 Rack mount kit - 19" 1R	2	
	NETWORK-PNP-LIC	Network Plug-n-Play Connect for zero-touch device deployment	2	
	C8200-NIM-BLANK	Cisco Catalyst 8200 Edge NIM Blank	2	
	C8200-PIM-BLANK	Cisco Catalyst 8200 Edge PIM Blank	2	
	TE-R-SW	TE agent for IOSXE on Enterprise Routing	2	
	SC8KBENEK9-179	UNIVERSAL - NO PAYLOAD ENCRYPTION	2	
	IOSXE-AUTO-MODE	IOS XE Autonomous or SD-Routing mode for Unified image	2	
	PWR-CC1-150WAC	Cisco C8200 1RU AC 150W PoE Power supply	2	
	CAB-C13-C14-2M	Power Cord Jumper, C13-C14 Connectors, 2 Meter Length	4	
	DNA-P-T0-E-3Y	Cisco DNA Essentials On-Prem Lic 3Y - upto 25M (Aggr, 50M)	2	
	SVS-PSTL1-T0-E3Y	Success Track L1 - DNA Essentials OnPrem Lic, T0, 3Y	2	
	DSTACK-T0-E	Cisco DNA Essentials Stack - upto 25M (Aggr, 50M)	2	
	NWSTACK-T0-E	Cisco Network Essentials Stack - upto 25M (Aggr, 50M)	2	
	SDWAN-UMB-ESS	Cisco Umbrella for DNA Essentials	2	
	DNAC-ONPREM-PF	Cisco DNA Center On Prem Deployment Option for WAN	2	
8	C82-1N-4T-PF	C8200-1N-4T Platform Selection for DNA Subscription	2	
	IOSXE-AUTO-MODE-PF	IOS XE Autonomous or SD-Routing mode for Unified image	2	
	C1300-24T-4X	Catalyst 1300 24-port GE, 4x10G SFP+	2	
	CON-SNT-C1300T24	SNTC-8X5XNBD Catalyst 1300 24-port GE, 4x10G SFP	2	

	CAB-ACU	AC Power Cord (UK), C13, BS 1363, 2.5m	2	
9	C8200-1N-4T	Cisco Catalyst C8200-1N-4T Router	2	
	CON-L14HR-C82001N4	CX LEVEL 1 24X7X4 Cisco Catalyst C8200	2	
	MEM-C8200-8GB	Cisco Catalyst 8200 Edge 8GB memory	2	
	M2USB-16G	Cisco Catalyst 8000 Edge M.2 USB 16GB	2	
	C-RFID-1R	RFID - 1RU for Cisco 8200/8300/8500L Series	2	
	C8200-RM-19-1R	Cisco Catalyst 8200 Rack mount kit - 19" 1R	2	
	NETWORK-PNP-LIC	Network Plug-n-Play Connect for zero-touch device deployment	2	
	C8200-NIM-BLANK	Cisco Catalyst 8200 Edge NIM Blank	2	
	C8200-PIM-BLANK	Cisco Catalyst 8200 Edge PIM Blank	2	
	TE-R-SW	TE agent for IOSXE on Enterprise Routing	2	
	SC8KBENEK9-179	UNIVERSAL - NO PAYLOAD ENCRYPTION	2	
	IOSXE-AUTO-MODE	IOS XE Autonomous or SD-Routing mode for Unified image	2	
	PWR-CC1-150WAC	Cisco C8200 1RU AC 150W PoE Power supply	2	
	CAB-C13-C14-2M	Power Cord Jumper, C13-C14 Connectors, 2 Meter Length	4	
	DNA-P-T0-E-3Y	Cisco DNA Essentials On-Prem Lic 3Y - upto 25M (Aggr, 50M)	2	
	SVS-PSTL1-T0-E3Y	Success Track L1 - DNA Essentials OnPrem Lic, T0, 3Y	2	
	DSTACK-T0-E	Cisco DNA Essentials Stack - upto 25M (Aggr, 50M)	2	
	NWSTACK-T0-E	Cisco Network Essentials Stack - upto 25M (Aggr, 50M)	2	
	SDWAN-UMB-ESS	Cisco Umbrella for DNA Essentials	2	
	DNAC-ONPREM-PF	Cisco DNA Center On Prem Deployment Option for WAN	2	
	C82-1N-4T-PF	C8200-1N-4T Platform Selection for DNA Subscription	2	
	IOSXE-AUTO-MODE-PF	IOS XE Autonomous or SD-Routing mode for Unified image	2	
10	C1300-24T-4X	Catalyst 1300 24-port GE, 4x10G SFP+	2	

	CON-SNT-C1300T24	SNTC-8X5XNBD Catalyst 1300 24-port GE, 4x10G SFP	2	
	CAB-ACU	AC Power Cord (UK), C13, BS 1363, 2.5m	2	
11	C8200-1N-4T	Cisco Catalyst C8200-1N-4T Router	2	
	CON-L14HR-C82001N4	CX LEVEL 1 24X7X4 Cisco Catalyst C8200	2	
	MEM-C8200-8GB	Cisco Catalyst 8200 Edge 8GB memory	2	
	M2USB-16G	Cisco Catalyst 8000 Edge M.2 USB 16GB	2	
	C-RFID-1R	RFID - 1RU for Cisco 8200/8300/8500L Series	2	
	C8200-RM-19-1R	Cisco Catalyst 8200 Rack mount kit - 19" 1R	2	
	NETWORK-PNP-LIC	Network Plug-n-Play Connect for zero-touch device deployment	2	
	C8200-NIM-BLANK	Cisco Catalyst 8200 Edge NIM Blank	2	
	C8200-PIM-BLANK	Cisco Catalyst 8200 Edge PIM Blank	2	
	TE-R-SW	TE agent for IOSXE on Enterprise Routing	2	
	SC8KBENEK9-179	UNIVERSAL - NO PAYLOAD ENCRYPTION	2	
	IOSXE-AUTO-MODE	IOS XE Autonomous or SD-Routing mode for Unified image	2	
	PWR-CC1-150WAC	Cisco C8200 1RU AC 150W PoE Power supply	2	
	CAB-C13-C14-2M	Power Cord Jumper, C13-C14 Connectors, 2 Meter Length	4	
	DNA-P-T0-E-3Y	Cisco DNA Essentials On-Prem Lic 3Y - upto 25M (Aggr, 50M)	2	
	SVS-PSTL1-T0-E3Y	Success Track L1 - DNA Essentials OnPrem Lic, T0, 3Y	2	
	DSTACK-T0-E	Cisco DNA Essentials Stack - upto 25M (Aggr, 50M)	2	
	NWSTACK-T0-E	Cisco Network Essentials Stack - upto 25M (Aggr, 50M)	2	
	SDWAN-UMB-ESS	Cisco Umbrella for DNA Essentials	2	
	DNAC-ONPREM-PF	Cisco DNA Center On Prem Deployment Option for WAN	2	

C82-1N-4T-PF	C8200-1N-4T Platform Selection for DNA Subscription	2	
IOSXE-AUTO-MODE-PF	IOS XE Autonomous or SD-Routing mode for Unified image	2	

2. Yêu cầu về thời gian/tiến độ thực hiện, phương thức giao hàng/thực hiện, bảo hành, bảo trì, hỗ trợ kỹ thuật.

a) Phương thức thực hiện:

- Phương thức thực hiện: Nhà thầu sẽ cung cấp thiết bị công nghệ thông tin và Bản quyền dịch vụ (License) cho Chủ đầu tư theo hình thức Email-License (E. License). Thông tin của khách hàng sử dụng bản quyền và địa chỉ email để nhận E. License được nêu bên dưới.

- Thời gian thực hiện gói thầu: trong vòng 6-8 tuần kể từ ngày ký hợp đồng.

- Địa điểm giao hàng:

- Đối với thiết bị phần cứng: Lô E2a-3, Đường D1, Khu Công nghệ cao, Phường Long Thạnh Mỹ, Tp Thủ Đức, Thành phố Hồ Chí Minh. Liên hệ Anh Trang 091.77.22.969

- Đối với license/ dịch vụ bảo hành : Toà nhà QTSC TELECOM CENTER, đường số 4, Khu CVPM Quang Trung, phường Tân Chánh Hiệp, Quận 12, TPHCM. Liên hệ Ms Quí 08888 77 631

- Key License gửi sang email: tienqui@qtsc.com.vn

b) Hỗ trợ kỹ thuật:

- Thời hạn hỗ trợ kỹ thuật: các thiết bị sẽ được hỗ trợ kỹ thuật 12 tháng theo tiêu chuẩn của hãng sản xuất.

- Nội dung dịch vụ hỗ trợ kỹ thuật: đáp ứng các yêu cầu dịch vụ hỗ trợ kỹ thuật theo tiêu chuẩn của hãng sản xuất.

3. Yêu cầu về thời hạn, phương thức thanh toán, bảo đảm thực hiện hợp đồng

- Thời hạn thanh toán: Thanh toán theo thoả thuận.

- Đồng tiền thanh toán: tiền đồng Việt Nam.

- Hình thức thanh toán: chuyển khoản.

4. Cam kết của nhà cung cấp về tài chính để thực hiện hạng mục mua sắm

- Nhà thầu cam kết đáp ứng đầy đủ năng lực tài chính để thực hiện gói thầu mua sắm các thiết bị công nghệ thông tin Cisco.

IV. YÊU CẦU BÁO GIÁ CỦA NHÀ CUNG CẤP

Báo giá do nhà cung cấp chuẩn bị phải đầy đủ các nội dung sau:

- Văn bản báo giá phải có đầy đủ nội dung theo yêu cầu của hạng mục mua sắm tại mục III của thông báo chào giá;

- Giá đề xuất: (gồm giá chưa thuế, thuế, giá sau thuế)

- Trường hợp nhà cung cấp là tổ chức: văn bản báo giá phải có chữ ký của người đại diện hợp pháp và dấu hoặc chữ ký điện tử theo quy định pháp luật của nhà cung cấp.

V. TIẾP NHẬN BÁO GIÁ:

- Chỉ tiếp nhận những báo giá gửi bằng bản cứng/file scan theo địa chỉ: Tòa nhà QTSC Telecom Center, Khu Công viên phần mềm Quang Trung, Phường Tân Chánh Hiệp, Quận 12, Thành phố Hồ Chí Minh hoặc địa chỉ Email: tienqui@qtsc.com.vn trước 16 giờ ngày 19 tháng 05 năm 2025.

- Chúng tôi chỉ phản hồi các báo giá hợp lệ qua email trong vòng 01 ngày từ ngày 19 tháng 05 năm 2025.

**CÔNG TY TNHH MỘT THÀNH VIÊN
PHÁT TRIỂN CÔNG VIÊN PHẦN MỀM
QUANG TRUNG**



Trần Hữu Dũng

